



#7

ISIS4804.ST25.txt

SEQUENCE LISTING

<110> Mahoharan, Muthiah
Maier, Martin A.
Prakash, Thazha P.
Rajeev, Kallanthottathil Gopalan

<120> Nuclease Resistant Chimeric Oligonucleotides

<130> ISIS-4804

<140> 09/996,292

<141> 2001-11-28

<160> 55

<170> PatentIn version 3.1

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Completely synthetic sequence

<220>

<221> misc_feature

<222> (1)..(20)

<223> All P=S

<220>

<221> misc_feature

<222> (1)..(1)

<223> N= L-Thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> N= L-Thymidine

<400> 1

ngcatccccc aggccaccan

20

<210> 2

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Completely synthetic sequence

<220>

<221> misc_feature

<222> (1)..(17)

<223> All P=S

<220>

<221> misc_feature

<222> (1)..(1)

<223> N= L-Thymidine

<220>

<221> misc_feature

<222> (2)..(3)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (15)..(15)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= L-Thymidine

<400> 2
nnncgctgtg atgcnnn

17

<210> 3
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Thymidine

<220>
<221> misc_feature
<222> (2)..(3)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (13)..(14)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (15)..(15)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= L-Thymidine

<400> 3
 nnngtcatcg ctnnnnnnnnn

20

<210> 4
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<400> 4
 tgcattcccc aggccaccat

20

<210> 5
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= L-Thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= L-Thymidine

<400> 5
 ngcatcccc aggccaccan

20

<210> 6
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(17)
 <223> All P=S

<400> 6
 tcccgcgtgtg atgcatt

17

<210> 7
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(17)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= L-Thymidine

<220>
 <221> misc_feature
 <222> (2)..(3)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= L-Thymidine

<400> 7
 nnncgctgtg atgcnnn

17

<210> 8
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Cytidine

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 2'-O-MOE 5meC

<400> 8
nnnnnttcca cactcnnnnn

<210> 9
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= L-Cytidine

<400> 9
nnnnnttcca cactcnnnnn

20

<210> 10
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Cytidine

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature

<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= L-Cytidine

<400> 10
nnnnnttcca cactcnnnnn

20

<210> 11
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (10)..(10)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (12)..(13)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (14)..(14)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (17)..(18)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= L-Adenosine

<400> 11
ccggtacccn nnnntnnnnn

20

<210> 12
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Cytidine

<220>
<221> misc_feature
<222> (10)..(10)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (12)..(13)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (14)..(14)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (17)..(18)
<223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= L-Adenosine

<400> 12
 ncggtacccn nnnntnnnnn

20

<210> 13
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (9)..(9)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= L-Cytidine

<400> 13
 ctagattcnn nnctctcgtn

20

<210> 14
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Cytidine

<220>
<221> misc_feature
<222> (9)..(9)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (10)..(10)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (12)..(12)
<223> N= 2'-O-MOE A

<400> 14
ntagattcnn nnctctcgtc

20

<210> 15
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Cytidine

<220>
<221> misc_feature
<222> (9)..(9)
<223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= L-Cytidine

<400> 15
 ntagattcnn nnctctcgtn

20

<210> 16
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2,-3'-Dideoxycytidine

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2, 3'-Dideoxycytidine

<400> 16
 nnnnnttcca cactcnnnnn

20

<210> 17
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (12)..(13)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature

<222> (14)..(14)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (17)..(18)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 2',-3'-Dideoxyadenosine

<400> 17
ccggtaccn nnnntnnnnn

20

<210> 18
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2'-3'-Didehydro-2', 3'-dideoxycytidine

<400> 18
 nnnnnttcca cactcnnnnn

20

<210> 19
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (12)..(13)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (14)..(15)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (17)..(18)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2',-3'-Didehydro-2',3'-dideoxyadenosine

<400> 19
 ccggtacccn nnnnnnnnnn

20

<210> 20
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature

<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 2'-3'-Dideoxy-3'-fluorocytidine

<400> 20
nnnnnttcca cactcnnnnn

20

<210> 21
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 3'-Deoxy-2'-O-[2-(methoxy)ethyl]-5-methylcytidine

<400> 21
 nnnnnttcca cactcnnnnn

20

<210> 22
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 3-hydroxy-2-pyrrolidinemethanol

<400> 22
 nnnnnttcca cactcnnnnn

20

<210> 23
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature

<222> (1)..(21)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 3-hydroxy-2-pyrrolidinemethanol

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (6)..(6)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (21)..(21)
<223> N= 3-hydroxy-2-pyrrolidinemethanol

<400> 23
nnnnnnttcc acactcnnnn n

21

<210> 24
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(21)
<223> All P=S

<220>
<221> misc_feature
<222> (10)..(10)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (12)..(13)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (14)..(15)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (17)..(18)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (21)..(21)
<223> N= 3-hydroxy-2-pyrrolidinemethanol

<400> 24
ccggtaccn nnnnnnnnna n

21

<210> 25
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(22)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 3-hydroxy-2-pyrrolidinemethanol

<220>
<221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (12)..(12)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (13)..(14)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (15)..(16)
<223> N= 2'-O-MOE 5 meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5 meC

<220>
<221> misc_feature
<222> (18)..(19)
<223> N= 2'-O-MOE 5 meU

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 2'-O-MOE 5 meC

<220>
<221> misc_feature
<222> (22)..(22)
<223> N= 3-hydroxy-2-pyrrolidinemethanol

<400> 25
nccggtaccc nnnnnnnnnn an

```

<210> 26
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

```

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<400> 26
nnnnnttcca cactcnnnnn

20

<210> 27
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature

<222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<400> 27
 nnnnnttcca cactcnnnnn

20

<210> 28
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<400> 28
 nnnnnttcca cactcnnnnn

20

<210> 29
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>

<221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<400> 29
 nnnnnttcca cactcnnnnn

20

<210> 30
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2',3'-dideoxy-3'-(amino)cytidine

<400> 30
 nnnnnttcca cactcnnnnn

20

<210> 31
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature

<222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2'-deoxy-3'-S-phenyl-3'-thiocytidine

<400> 31
 nnnnnttcca cactcnnnnn

20

<210> 32
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 3'-deoxy-2'-S-phenyl-2'-thiocytidine

<400> 32
 nnnnnttcca cactcnnnnn

20

<210> 33
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Completely synthetic sequence

<220>
<221> misc_feature

<222> (1)..(20)

<223> All P=S

<220>

<221> misc_feature

<222> (1)..(1)

<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature

<222> (2)..(2)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (3)..(3)

<223> N= 2'-O-MOE A

<220>

<221> misc_feature

<222> (4)..(4)

<223> N= 2'-O-MOE G

<220>

<221> misc_feature

<222> (5)..(5)

<223> N= 2'-O-MOE A

<220>

<221> misc_feature

<222> (16)..(16)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (17)..(17)

<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature

<222> (18)..(18)

<223> N= 2'-O-MOE G

<220>

<221> misc_feature

<222> (19)..(19)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (20)..(20)

<223> N= 1[2,3-deoxy-2-N-morpholino
-B-D-gylcero-pent-2-enofuranosyl]
cytosine

<400> 33
nnnnnttcca cactcnnnnn 20

<210> 34
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-O-hexylguanidiny1-U 5me

<400> 34
tttntttttt 10

<210> 35
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-deoxy-G-clamp

<400> 35
tctcncctctc 10

<210> 36
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-deoxy-guanidiny1 G-clamp

<400> 36
tctcncctctc 10

<210> 37
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (9)..(9)
<223> N= 2'-deoxy-guanidiny1 G- clamp

<400> 37
ctcgtacct cccggtcc 18

<210> 38
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-deoxy-guanidino G-clamp

<220>
<221> misc_feature
<222> (6)..(6)
<223> N= 2'-MOE-U 5me

<400> 38
gngtanacgc 10

<210> 39
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (6)..(6)
<223> N= 2'-MOE- U 5me

<220>
<221> misc_feature
<222> (8)..(8)
<223> N= 2'-deoxy-guanidino G-clamp

<400> 39
gcgtanangc 10

<210> 40
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<400> 40
aaaaagagag ggaga 15

<210> 41
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= guanidino G-clamp

<220>
<221> misc_feature
<222> (6)..(6)
<223> N= 2'-O-methoxyethyl thymine

<400> 41
gngtanacgc

10

<210> 42
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<400> 42
atgcattctg cccccaagga

20

<210> 43
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= G-clamp modification

<400> 43
atgnattctg cccccaagga

20

<210> 44
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> N= G-clamp modification

<400> 44
 atgcatntg cccccaagga

20

<210> 45
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= G-clamp modification

<400> 45
 atgcattctg nccccaagga

20

<210> 46
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Completely synthetic sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> N= G-clamp modification

<400> 46
 atgcattctg cncccaagga

20

<210> 47
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Completely synthetic sequence

<220>

<221> misc_feature

<222> (1)..(20)

<223> All P=S

<220>

<221> misc_feature

<222> (13)..(13)

<223> N= G-clamp modification

<400> 47

atgcattctg ccnccaagga

20

<210> 48

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Completely synthetic sequence

<220>

<221> misc_feature

<222> (1)..(20)

<223> All P=S

<220>

<221> misc_feature

<222> (14)..(14)

<223> N= G-clamp modification

<400> 48

atgcattctg cccncaagga

20

<210> 49

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Completely synthetic sequence

<220>

<221> misc_feature

<222> (1)..(20)

<223> All P=S

<220>

<221> misc_feature

<222> (15)..(15)

<223> N= G-clamp modification

<400> 49

atgcattctg ccccaagga

20

<210> 50

<211> 22

<212> DNA

<213> Artificial Sequence

```

<220>
<223> Completely synthetic sequence

<400> 50
ctagattcca cactctctcg tc 22

<210> 51
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= G-clamp modification

<400> 51
ntagattcca cactctcgtc 20

<210> 52
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= G-clamp modification

<400> 52
ctagattcca cactctcgtn 20

<210> 53
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= G-clamp modification

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= G-clamp modification

<400> 53
ntagattcca cactctcgtn 20

<210> 54
<211> 19

```

<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= phenoxazine

<400> 54
tttttttttt ttttttttn

19

<210> 55
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Completely synthetic sequence

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= G-clamp modification

<400> 55
tttttttttt ttttttttn

19